

DESIGN · COMFORT · SOPHISTICATION




ATOUGH



Includes solutions



CATALOGUE
EDITION 26|27



DESIGN

Discreet, elegant solutions designed to blend into the architecture and reduce visual clutter.

COMFORT

Intuitive control of lighting, blinds, climate, audio and security in a single system.

SOPHISTICATION

Advanced technology, carefully selected materials and an experience tailored to contemporary spaces.


WE CREATE SIMPLER, SMARTER AND MORE ELEGANT SPACES.

At ATOUCH, we believe technology should be simple and blend naturally into the architecture.

We develop electrical installation solutions that combine intuitive control of automation, climate, audio and security through touch keypads and intelligent modules.

Designed for new builds and renovations, ATOUCH solutions combine flexibility, functionality and discreet design. Fewer elements on the walls, greater control and an experience tailored to every space and user.

From planning to everyday use, we turn complex technology into simple comfort.






Our own production in Portugal

ATOUCH technology is designed, developed and manufactured by us in Portugal. Here, we combine technical expertise, innovation and attention to detail to create solutions with a distinctive identity.


The close connection between development, production and quality control allows us to continually improve our products, meet market needs and provide ongoing support to our partners and customers.



Innovation, Development and Integration

We continually develop ATOUCH solutions, with a range for KNX installations and Matter integration through the Gateway 5 series.

Alongside control via the ATouch 5.0 app, Matter compatibility connects the installation to platforms such as Amazon Alexa, Google Home, Apple Home and Samsung SmartThings through a compatible hub, giving users greater freedom of choice.



CONTENTS

TOUCH KEYPADS

T-K4	10
TF-K4	12
T-FUSION	14
T-OLED	16
T-SEC	18
T-FR / T-2FR	20

MODULES

Automation	24
Climate	28
Audio	30
Security	31

COMMUNICATION	34
---------------	----

ATOUCH 5.0 APP	35
----------------	----

ATOUCH KNX

KNX-K4	39
KNX-K4F	41
KNX-OLED	43
KNX-K4IOT	45


FINISHES	47
----------	----



An installation tailored to your project.

Choose the installation that best suits your space. Both options bring home control together in a simple ATOUGH experience.

DISTRIBUTED



Modules in each room

Flexibility in every room

Modules sit in wall boxes behind the touch keypads, close to the control points.

Ideal for renovations

CENTRALISED



Modules in the electrical cabinet

Organised in the electrical cabinet

Modules are grouped in the electrical cabinet for easy access and maintenance.

For new builds or major renovations

One home. Integrated control.



AUTOMATION

Lights and blinds



CLIMATE

Thermal comfort



AUDIO


Music and ambience



SECURITY

Protection and alarms

CONTROL IN YOUR HANDS



Personalise, tap and control.



PERSONALISE

Your personalised keypad

Adapt key functions and scenes to your routine without changing the electrical wiring.



MULTITOUCH

Ready to leave

Place your palm on the keypad to activate a scene, such as switching off lights and closing blinds.



- TAP AND SWIPE

Set the mood


Tap to control and swipe to dim the lights or move the blinds.



APP AND VOICE

Your home, even from afar

Control your home with the ATouch 5.0 app or use voice commands through a Matter-compatible hub.




ONE PANEL. EVERY FUNCTION.
FEWER SWITCHES. MORE CONTROL.



Reduce the number of wall switches in your home or building with ATOUCH multifunction touch panels.

TOUCH KEYPADS




T-K4

Control lighting, blinds, curtains and gates from a single glass panel.

Four programmable keys, four swipe commands and multitouch for scenes.

Includes backlighting, a central LED and audible and visual touch feedback.



T-K4

Glass touch panel with 9 functions

AUTOMATION

	DISTRIBUTED SYSTEM 230VAC	CENTRALISED SYSTEM 24VDC
	T-K4GL-W Glass touch keypad; 4 keys and 9 functions; Gloss white - visible keys; IP rating IP20.	TW-K4GL-W Glass touch keypad - 24V; 4 keys and 9 functions; Gloss white - visible keys; IP rating IP20.
	T-K4GL-B Gloss black - visible keys.	TW-K4GL-B Gloss black - visible keys.
	T-K4GM-W Matt white - discreet keys.	TW-K4GM-W Matt white - discreet keys.
	T-K4GM-B Matt black - discreet keys.	TW-K4GM-B Matt black - discreet keys.
	T-K4GM-WX Matt white - visible keys.	TW-K4GM-WX Matt white - visible keys.
	T-K4GM-BX Matt black - visible keys.	TW-K4GM-BX Matt black - visible keys.




TF-K4

Control lights, blinds and curtains with a touch keypad and glass frame.

Four programmable keys, four swipe commands and multitouch for scenes.

Includes backlighting and audible and visual touch feedback.

The frame accommodates 57 × 57 mm inserts, such as sockets or USB chargers.



DISTRIBUTED SYSTEM
230VAC

CENTRALISED SYSTEM
24VDC



TF-K4GL-W

Touch keypad with glass frame;
4 keys and 9 functions;
Gloss white - visible keys;
IP rating IP20.

TFW-K4GL-W

Touch keypad with glass frame -
24V;
4 keys and 9 functions;
Gloss white - visible keys;
IP rating IP20.




TF-K4GL-B

Gloss black - visible keys.

TFW-K4GL-B

Gloss black - visible keys.



TF-K4GM-W

Matt white - discreet keys.

TFW-K4GM-W

Matt white - discreet keys.



TF-K4GM-B

Matt black - discreet keys.

TFW-K4GM-B

Matt black - discreet keys.



TF-K4GM-WX

Matt white - visible keys.

TFW-K4GM-WX

Matt white - visible keys.



TF-K4GM-BX

Matt black - visible keys.

TFW-K4GM-BX

Matt black - visible keys.



T-FUSION

Automation, climate control and air quality in a single touch panel.

With four programmable touch zones and a 1.3-inch colour screen, T-FUSION controls automation and climate, with the option to add up to 3 air-conditioning units.

View the time, temperature, humidity, dew point and air quality to monitor room conditions.

Personalise screen brightness, night mode, backlighting, language, keypad sound and screensaver.



T-FUSION


Touch panel for automation, climate and air quality

CLIMATE
CONTROL

DISTRIBUTED SYSTEM 230VAC

CENTRALISED SYSTEM 24VDC

	COMING SOON T-FUSIONG-W Glass touch keypad with colour screen; 4 keys and 9 functions; Gloss white - visible keys; IP rating IP20.	NEW TW-FUSIONG-W Glass touch keypad with colour screen - 24V; 4 keys and 9 functions; Gloss white - visible keys; IP rating IP20.
	T-FUSIONG-B Gloss black - visible keys.	TW-FUSIONG-B Gloss black - visible keys.
	T-FUSIONM-W Matt white - discreet keys.	TW-FUSIONM-W Matt white - discreet keys.
	T-FUSIONM-B Matt black - discreet keys.	TW-FUSIONM-B Matt black - discreet keys.
	T-FUSIONM-WX Matt white - visible keys.	TW-FUSIONM-WX Matt white - visible keys.
	T-FUSIONM-BX Matt black - visible keys.	TW-FUSIONM-BX Matt black - visible keys.



T-OLED

Alongside lighting and blinds, control climate or audio according to the connected module.

The OLED screen displays information for the selected function. Four programmable keys, four swipe commands and multitouch for scenes.

Includes backlighting and audible and visual touch feedback.



T-OLED

Touch keypad for audio or climate units

CLIMATE
AUDIO

DISTRIBUTED SYSTEM 230VAC

CENTRALISED SYSTEM 24VDC



T-OLEDG-W

Glass touch keypad with OLED screen;
4 keys and 9 functions;
Gloss white - visible keys;
IP rating IP20.

TW-OLEDG-W

Glass touch keypad with OLED screen - 24V;
4 keys and 9 functions;
Gloss white - visible keys;
IP rating IP20.



T-OLEDG-B

Gloss black - visible keys.

TW-OLEDG-B

Gloss black - visible keys.



T-OLEDM-W

Matt white - discreet keys.

TW-OLEDM-W

Matt white - discreet keys.



T-OLEDM-B

Matt black - discreet keys.

TW-OLEDM-B

Matt black - discreet keys.



T-OLEDM-WX

Matt white - visible keys.

TW-OLEDM-WX

Matt white - visible keys.



T-OLEDM-BX

Matt black - visible keys.

TW-OLEDM-BX

Matt black - visible keys.



T-SEC

Arm and disarm the alarm using a code and choose Full, Night or Garage mode.

The OLED screen and numeric keys make the ATOUCH security system easy to use. Activate arrival or departure scenes to control lights and blinds.


Includes backlighting and installs exclusively on the W-4SEC module.



T-SEC

Glass touch keypad for the ATouch security system

SECURITY



T-SECGL-W

Glass numeric touch keypad with OLED screen for security;
Gloss white - visible keys;
IP rating IP20.



T-SECGL-B

Gloss black - visible keys.



T-SECGM-W

Matt white - discreet keys.



T-SECGM-B

Matt black - discreet keys.



T-SECGM-WX

Matt white - visible keys.



T-SECGM-BX

Matt black - visible keys.



T-FR / T-2FR


Single and double glass frames for sockets, push-buttons and USB chargers in the same style as ATOUCH keypads.

Compatible with 57 × 57 mm inserts, including EFAPEL MEC21 with LOGUS90 inserts. Available in white or black, with a gloss or matt finish.

Single



Double



T-FR / T-2FR

Glass frames

FRAMES

SINGLE FRAME

DOUBLE FRAME



T-FRGL-W

Single glass frame;
Gloss white - visible line;
IP20 protection.




T-2FRGL-W

Double glass frame;
Gloss white - visible line;
IP20 protection.



T-FRGL-B

Gloss black
Visible line



T-2FRGL-B

Gloss black
Visible line



T-FRGM-W

Matt white
Discreet line



T-2FRGM-W

Matt white
Discreet line




T-FRGM-B

Matt black
Discreet line



T-2FRGM-B

Matt black
Discreet line



Both frames accept compatible 57 × 57 mm inserts from other manufacturers.



THE PANEL COMMANDS. THE MODULE ACTS.
DISCREET INSTALLATION. PRECISE RESPONSE.



Lighting, blinds and climate: ATOUCH modules turn
every keypad touch into an immediate response
throughout the home.

MODULES



W-2ONOFF

Dual switching actuator

- Voltage: 230 V 50 Hz
- Current: 16 A total
- Mounting: Wall box $\geq$ 60 mm deep
- IP rating: IP20



W-1SHUTT

Single blind actuator

- Voltage: 230 V 50 Hz
- Current: 16 A total
- Mounting: Wall box $\geq$ 60 mm deep
- IP rating: IP20



W-2VLESS

Dual 5 A dry-contact actuator with RF

- Voltage: 230 V 50 Hz
- Current: 5 A total
- Frequency: 868.3 MHz
- Mounting: Wall box $\geq$ 60 mm deep
- IP rating: IP20



W-INPKEY

Keypad interface module

- Voltage: 230 V 50 Hz
- Mounting: Wall box $\geq$ 60 mm deep
- IP rating: IP20





D-4ONOFF

4-channel On/Off actuator

- Voltage: 230 V 50 Hz
- Current: 16 A total
- Mounting: DIN rail
- Width: 3U
- IP rating: IP20



D-8ONOFF

8-channel On/Off actuator

- Voltage: 230 V 50 Hz
- Current: 16 A total
- Mounting: DIN rail
- Width: 5U
- IP rating: IP20



D-2SHUTT

2-blind actuator

- Voltage: 230 V 50 Hz
- Current: 16 A total
- Mounting: DIN rail
- Width: 3U
- IP rating: IP20



D-4SHUTT

4-blind actuator

- Voltage: 230 V 50 Hz
- Current: 16 A total
- Mounting: DIN rail
- Width: 5U
- IP rating: IP20





D-DIMRGB

RGB LED strip dimmer

- Voltage: 230 V 50 Hz
- Current: 3 x 10 A
- LED voltage: 24 VDC max
- Mounting: DIN rail
- Width: 2U
- IP rating: IP20



D-1DIMRC

300 W dimmer for resistive and capacitive loads

- Voltage: 230 V 50 Hz
- Power: 300 W
- Mounting: DIN rail
- Width: 2U
- IP rating: IP20



D-1DIM010V

0–10 V lighting dimmer

- Voltage: 230 V 50 Hz
- Output: 0-10 VDC
- Mounting: DIN rail
- Width: 2U
- IP rating: IP20



D-3DIMLED

Triple LED strip dimmer

- Voltage: 230 V 50 Hz
- Current: 3 x 10 A
- Power: 200 W per channel
- LED voltage: 24 VDC max
- Mounting: DIN rail
- Width: 2U
- IP rating: IP20





D-1DWLED

Warm/cool white LED strip dimmer



- Voltage: 230 V 50 Hz
- Current: 2 x 10 A
- LED voltage: 24 VDC max
- Mounting: DIN rail
- Width: 2U
- IP rating: IP20



D-8DALI

DALI module for up to 8 drivers



- Voltage: 230 V 50 Hz
- Mounting: DIN rail
- Width: 2U
- IP rating: IP20



D-16DALI

DALI module for up to 16 drivers



- Voltage: 230 V 50 Hz
- Mounting: DIN rail
- Width: 2U
- IP rating: IP20



D-16VIN

16-input voltage detector



- Voltage: 230 V 50 Hz
- Mounting: DIN rail
- Width: 5U
- IP rating: IP20



W-THERMO

Programmable thermostat controller



- Voltage: 230 V 50 Hz
- Current: 5 A total
- Mounting: Wall box ≥ 60 mm deep
- IP rating: IP20



W-THERMO16

Programmable thermostat for resistive loads, 1 output



- Voltage: 230 V 50 Hz
- Current: 16 A total
- Mounting: Wall box ≥ 60 mm deep
- IP rating: IP20



W-1IRTH

Infrared programmable thermostat controller



- Voltage: 230 V 50 Hz
- IP rating: IP20



D-THERMO

1-zone programmable thermostat



- Voltage: 230 V 50 Hz
- Current: 5 A total
- Mounting: DIN rail
- Width: 2U
- IP rating: IP20



D-4THERMO

4-zone underfloor heating thermostat

- Voltage: 230 V 50 Hz
- Current: 16 A total
- Mounting: DIN rail
- Width: 3U
- IP rating: IP20



D-8THERMO

8-zone underfloor heating thermostat

- Voltage: 230 V 50 Hz
- Current: 16 A total
- Mounting: DIN rail
- Width: 5U
- IP rating: IP20



D-TH010V

Programmable thermostat with 0–10 V output

- Voltage: 230 V 50 Hz
- Output: 0-10 VDC
- Mounting: DIN rail
- Width: 2U
- IP rating: IP20



D-3THHC

Summer/winter cycle controller for heat pumps

- Voltage: 230 V 50 Hz
- Current: 16 A total
- Mounting: DIN rail
- Width: 3U
- IP rating: IP20





D-2AFMBT

Audio unit with FM, Bluetooth and amplifier

- Voltage: 230 V 50 Hz
- Power: 2 x 6 W (zone 1)
- Impedance: 8 Ohm
- Mounting: In the suspended ceiling near the speakers
- Inputs: FM RDS, AUX, Bluetooth
- Output: Controlled zone 2
- IP rating: IP20



D-2AMP

2 x 6 W stereo amplifier

- Voltage: 230 V 50 Hz
- Power: 2 x 6 W
- Impedance: 8 Ohm
- Mounting: In the suspended ceiling near the speakers
- IP rating: IP20





B-SEC

8-zone security control panel

- Voltage: 230 V 50 Hz
- Battery: (not included) 12 V 7 Ah
- Transformer: 2.2 A
- Mounting: Wall
- IP rating: IP20



W-4SEC

4-zone expansion module with RF

- Voltage: 230 V 50 Hz
- Frequency: 868.3 MHz
- Mounting: Wall box ≥ 60 mm deep
- IP rating: IP20
- Connection to B-SEC control panel
- Only supports the T-SEC security keypad.



RC-4BRF

4-button RF remote control

- IP rating: IP20
- Receivers:
 - W-2VLESS
 - W-4SEC



I-SEC

Security control panel interface


- Mounting: Inside the security enclosure
- IP rating: IP20
- Integrates third-party security control panels.



FROM GATEWAY TO SMARTPHONE. YOUR HOME IN YOUR HANDS.

Communication devices connect the ATOUCH installation to its users. The gateway supervises the BUS and stores the home configuration: rooms, devices and schedules. The BUS power supply supports communication between all modules.

Control everything from your smartphone or tablet with the ATOUCH app. Matter integration lets you control compatible functions through platforms such as Apple Home, Google Home or Amazon Alexa.



TOTAL CONTROL. YOUR HOME IN YOUR HANDS.
FEWER LIMITS. MORE CHOICE.



Control your ATOUCH home from your smartphone, at home or remotely, and connect it to other platforms through Matter.

COMMUNICATION



D-BUSSUPPLY

BUS power supply



- Voltage: 230 V 50 Hz
- Mounting: DIN rail
- Width: 3U
- IP rating: IP20



D-GATEWAY 5Plus

Gateway 5 Plus multiprotocol communication gateway



- Voltage: 12 VDC
 - Mounting: DIN rail
 - Width: 5U + 3U power supply
 - IP rating: IP20
- Compatible with:

 matter



D-GATEWAY 5Pro

Gateway 5 Pro multiprotocol gateway with Modbus RTU



- Voltage: 12 VDC
 - Mounting: DIN rail
 - Width: 5U + 3U power supply
 - IP rating: IP20
- Compatible with:

 matter 

* Scan the QR code to view the product datasheet and further information.

MATTER COMPATIBLE

Connect your ATOUCH installation to Apple Home, Google Home, Amazon Alexa, Samsung SmartThings and more. Control compatible functions through your preferred platform's app. Requires a Matter-compatible hub. Available functions depend on the devices and platform used.



CONNECT YOUR ATOUCH HOME

Your home, on the platforms you already use.






ATOUCH 5.0 APP

AN APP FOR SMART HOMES

Set up ATOUCH your way, monitor your home remotely and simplify daily routines. All from your phone.

With the ATOUCH 5.0 mobile app, enjoy simple, fast and secure control of your home from a smartphone or tablet (Android and iOS), wherever you are.



TOTAL CONTROL

Automation, climate control, CCTV, security, rooms and much more.



WHEREVER YOU ARE

Access your ATOUCH system wherever you are, from your smartphone or tablet.



SIMPLE & INTUITIVE

A smooth, modern and functional visual and user experience.



SCHEDULES

Set schedules to operate your equipment automatically at any time.



MORE SECURITY

Arm or disarm the alarm, view the event log and receive notifications.

DOWNLOAD THE ATOUCH APP

Available for Android and iOS



BACKFLAT

BACKLIGHTING



ATOUGH
KNX®

We are Portugal's first KNX
manufacturer.
The same ATOUGH keypad, finishes
and functions, designed for KNX.

CATALOGUE


KNX

ATOUGH solutions for smart homes and
buildings with KNX.

KNX-K4

13 interactions in one keypad





GLASS TOUCH KEYPAD

KNX-K4 glass touch keypad;
Integrated temperature sensor;
Designed for KNX;
Control of lights, blinds and curtains;
Configurable via ETS5/ETS6;
Other KNX functions (see ATOUCH ETS catalogue).

Configure up to 13 user interactions to control different KNX installation functions.



FEATURES

- 4 independent touch-sensitive keys;
- 1 All4Touch button (multitouch);
- 4 vertical + 4 horizontal swipe controls;
- Audible feedback for user actions;
- Integrated temperature sensor;
- Night mode;
- LED indication of function status.


Keypad colours	Finish	Reference
 White Cool white LED Translucent Backflat	Gloss . Visible keys	KNX-K4GL-W-CW
	Matt . Visible keys	KNX-K4GM-WX-CW
	Matt . Discreet keys	KNX-K4GM-W-CW
 White Warm white LED Translucent Backflat	Gloss . Visible keys	KNX-K4GL-W-WW
	Matt . Visible keys	KNX-K4GM-WX-WW
	Matt . Discreet keys	KNX-K4GM-W-WW
 Black Cool white LED Translucent black Backflat	Gloss . Visible keys	KNX-K4GL-B-CW
	Matt . Visible keys	KNX-K4GM-BX-CW
	Matt . Discreet keys	KNX-K4GM-B-CW
 Black Warm white LED Translucent black Backflat	Gloss . Visible keys	KNX-K4GL-B-WW
	Matt . Visible keys	KNX-K4GM-BX-WW
	Matt . Discreet keys	KNX-K4GM-B-WW

KNX-K4F






* USB charger



* Schuko socket



* Four-button push-button

GLASS TOUCH KEYPAD

KNX-K4F glass touch keypad:
Integrated temperature sensor;
Frame accepts compatible 57 × 57 mm mechanisms from other manufacturers;
Designed for KNX;
Control of lights, blinds and curtains;
Configurable via ETS5/ETS6;
Other KNX functions (see ATOUCH ETS catalogue).
Configure up to 13 user interactions to control different KNX installation functions.

FEATURES

- 4 independent touch-sensitive keys;
- 1 All4Touch button (multitouch);
- 4 vertical + 4 horizontal swipe controls;
- Audible feedback for user actions;
- Integrated temperature sensor;
- Night mode;
- LED indication of function status.

Keypad colours	Finish	Reference
 White Cool white LED Translucent Backflat	Gloss . Visible keys	KNX-K4FGL-W-CW
	Matt . Visible keys	KNX-K4FGM-WX-CW
	Matt . Discreet keys	KNX-K4FGM-W-CW
 White Warm white LED Translucent Backflat	Gloss . Visible keys	KNX-K4FGL-W-WW
	Matt . Visible keys	KNX-K4FGM-WX-WW
	Matt . Discreet keys	KNX-K4FGM-W-WW
 Black Cool white LED Translucent black Backflat	Gloss . Visible keys	KNX-K4FGL-B-CW
	Matt . Visible keys	KNX-K4FGM-BX-CW
	Matt . Discreet keys	KNX-K4FGM-B-CW
 Black Warm white LED Translucent black Backflat	Gloss . Visible keys	KNX-K4FGL-B-WW
	Matt . Visible keys	KNX-K4FGM-BX-WW
	Matt . Discreet keys	KNX-K4FGM-B-WW

KNX-OLED

Keypad with OLED screen





GLASS TOUCH KEYPAD

KNX-OLED glass touch keypad:
Integrated temperature sensor;
OLED screen for messages (time, temperature, lights on/off and more);
Designed for KNX;
Control of lights, blinds and curtains;
Configurable via ETS5/ETS6;
Other KNX functions (see ATOUCH ETS catalogue).
Configure up to 13 user interactions to control different KNX installation functions.

FEATURES

- 4 independent touch-sensitive keys;
- 1 All4Touch button (multitouch);
- 4 vertical + 4 horizontal swipe controls;
- Audible feedback for user actions;
- Integrated temperature sensor;
- OLED screen with custom messages;
- LED indication of function status.

Keypad colours	Finish	Reference
 White Cool white LED Translucent Backflat	Gloss . Visible keys	KNX-OLEDGL-W-CW
	Matt . Visible keys	KNX-OLEDGM-WX-CW
	Matt . Discreet keys	KNX-OLEDGM-W-CW
 White Warm white LED Translucent Backflat	Gloss . Visible keys	KNX-OLEDGL-W-WW
	Matt . Visible keys	KNX-OLEDGM-WX-WW
	Matt . Discreet keys	KNX-OLEDGM-W-WW
 Black Cool white LED Translucent black Backflat	Gloss . Visible keys	KNX-OLEDGL-B-CW
	Matt . Visible keys	KNX-OLEDGM-BX-CW
	Matt . Discreet keys	KNX-OLEDGM-B-CW
 Black Warm white LED Translucent black Backflat	Gloss . Visible keys	KNX-OLEDGL-B-WW
	Matt . Visible keys	KNX-OLEDGM-BX-WW
	Matt . Discreet keys	KNX-OLEDGM-B-WW

KNX-K4IOT

KNX control with wireless communication





THREAD

GLASS TOUCH KEYPAD

KNX-K4IoT is a glass touch keypad with an integrated temperature sensor and wireless communication via Thread.


Configure up to 13 user interactions to control different KNX installation functions.

Includes the W-KNXIoT actuator to control two On/Off circuits or one blind.

Configuration via ETS6, version 6.3 or later.

FEATURES

- 4 independent touch keys;
- 8 swipe gestures: 4 vertical and 4 horizontal;
- 1 All4Touch multitouch interaction;
- Integrated temperature sensor;
- Audible feedback for user actions;
- Night mode;
- LED indication of function status.

Keypad colours	Finish	Reference
 White Cool white LED Translucent Backflat	Gloss . Visible keys	KNX-K4IOTG-W-CW
	Matt . Visible keys	KNX-K4IOTM-WX-CW
	Matt . Discreet keys	KNX-K4IOTM-W-CW
 White Warm white LED Translucent Backflat	Gloss . Visible keys	KNX-K4IOTG-W-WW
	Matt . Visible keys	KNX-K4IOTM-WX-WW
	Matt . Discreet keys	KNX-K4IOTM-W-WW
 Black Cool white LED Translucent black Backflat	Gloss . Visible keys	KNX-K4IOTG-B-CW
	Matt . Visible keys	KNX-K4IOTM-BX-CW
	Matt . Discreet keys	KNX-K4IOTM-B-CW
 Black Warm white LED Translucent black Backflat	Gloss . Visible keys	KNX-K4IOTG-B-WW
	Matt . Visible keys	KNX-K4IOTM-BX-WW
	Matt . Discreet keys	KNX-K4IOTM-B-WW



ONE TOUCH TOTAL CONTROL

ATOUCH touch keypads for KNX installations. Minimalist design in white or black, with functions tailored to every room.



4 independent
touch keys



Audible feedback
for user actions



1 All4Touch



Integrated temperature
sensor



4 vertical and
4 horizontal swipe controls



Night mode

WHITE



GL-W
GLOSS
VISIBLE KEYS



GM-WX
MATT
VISIBLE KEYS



GM-W
MATT
Discreet keys

BLACK



GL-B
GLOSS
VISIBLE KEYS



GM-BX
MATT
VISIBLE KEYS



GM-B
MATT
DISCREET KEYS

CHAMPAGNE *



GL-CH
GLOSS
VISIBLE KEYS



GM-CHX
MATT
VISIBLE KEYS



GM-CH
MATT
DISCREET KEYS

OTHER FINISHES (ON REQUEST *)

* Contact us for these finishes.



Centro Empresarial de Braga
Largo da Misericórdia, Lote E1
4705-319, Braga

Tel: (+351) 910 096 740
(Call to the Portuguese mobile network)

info@atouch.com.pt

www.atouch.winwel.com



Images may not exactly
match the equipment shown.
For further information
on technical specifications,
different equipment or
solutions, contact our
sales department directly.

